

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5	communication near5 channel and reference near4 load\$3 same test\$4 near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 00:55
L3	82	communication near5 channel and reference near4 (channel\$3 load\$3) same test\$4 near4 (load\$3 channel\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 01:28
L4	0	("2003/0043900").URPN.	USPAT	OR	OFF	2006/01/23 01:28
L5	70	communication near5 channel and reference near4 (channel\$3 load\$3) same test\$4 near4 (load\$3 channel\$3) and known	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 01:28
S1	3	test near3 receiver and eye near2 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/14 12:27
S2	141	eye adj2 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:03
S3	46	(eye adj2 voltage) and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:48
S4	906	(eye adj2 pattern) and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:49
S5	0	morriss.in. and (eye adj2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:55
S6	1	mellitz.in. and (eye adj2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 16:58

S7	15	(eye adj2 voltage) and (eye adj2 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:18
S8	11	(eye adj2 voltage) and (eye adj2 pattern) and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 17:05
S9	11	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 17:05
S10	4	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 17:07
S11	3	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:54
S12	0	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference near4 load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:55
S13	0	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference near4 (load resist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:49
S14	77	340/4(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference and (dummy near4 antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:12
S15	0	"340"/\$.ccls. and (eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference and (dummy near4 antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:53
S16	0	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference and (dummy near4 antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:53

S17	0	(eye adj2 voltage) and (eye adj2 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:57
S18	106	(eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:05
S19	0	"340"/\$.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 14:57
S20	3	"702"/\$.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:51
S21	2	(eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) (replac\$4 near3 load))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:07
S22	1	lau-tung.xa. and (eye near4 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 15:20
S23	0	"10674593"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:01
S24	0	"10/674593"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:01
S25	2	"10/038868"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:01
S26	2	deas.in. and eye near4 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:05

S27	0	deas-alexander.in. and eye near4 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:04
S28	0	deas-alexander.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:04
S29	326	deas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:04
S30	0	alexander-deas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:04
S31	2	deas-alexander-roger.in. and eye near4 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:31
S32	12	computer near2 simulation and eye near4 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:31
S33	0	computer near2 simulation with eye near4 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 15:32
S34	0	computer near2 simulation near8 eye near4 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:47
S35	4	computer near2 simulation near8 eye near4 pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:02
S36	0	computer near2 simulation and eye near4 pattern and s-parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:49

S37	3	computer near2 simulation and eye near4 pattern and s near4 parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:58
S38	3	computer near2 simulation and eye near4 pattern and s near4 parameter and frequency and loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:59
S39	3	computer near4 simulation and eye near4 pattern and s near4 parameter and frequency and loss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 16:59
S40	5	computer near2 simulation with eye near4 pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:04
S41	0	computer near2 simulation and driver near7 reference near4 channel near5 measur\$5 and s near3 parameter\$3 and loss near4 frequenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:06
S42	246	driv\$4 near4 reference near3 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:07
S43	92	driv\$4 near4 reference near3 channel and measur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:08
S44	4	driv\$4 near4 reference near3 channel and measur\$5 and simulat\$5 near5 computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 16:45
S45	54	(vna vector near2 network near2 analyzer) and channel near4 test\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:20
S46	17	(vna vector near2 network near2 analyzer) and channel near4 test\$4 and eye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:21

S47	0	driv\$4 near4 reference near3 channel and measur\$5 and simulat\$5 near5 computer and s near4 paramter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:12
S48	0	driv\$4 near4 reference near3 channel and measur\$5 and simulat\$5 near5 computer and sram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:12
S49	0	"6701269" and sram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:13
S50	19	sram and processor and circuit and simulat\$5 and (dut) and receiver and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:14
S51	16	sram and processor and circuit and simulat\$5 and (dut) and receiver and driver and channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:14
S52	0	"702"/120.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:52
S53	3	"327"/\$.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:52
S54	0	"327"/108.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:53
S55	2	375/234.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:53
S56	0	398/32,33.ccls. and (eye near4 pattern) and receiver and signal and load and reference and ((dummy near4 antenna) replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 15:53
S57	0	"20030043900"	USPAT	OR	OFF	2005/08/10 18:16

S58	1	"20030043900"	US-PGPUB; USPAT	OR	OFF	2005/08/10 18:16
S59	1	"20030043900" and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 16:46
S60	0	"20030043900" and variable same (source supply )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/13 16:46
S61	1270	test with receiv\$5 and (vari\$5 adjust\$4) near4 source and load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/14 12:31
S62	172	test with receiv\$5 and (vari\$5 adjust\$4) near4 source and load and eye	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/14 12:31
S63	0	test with receiv\$5 and (vari\$5 adjust\$4) near4 source and load and eye and loss same frequency same verus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/14 12:32
S64	1	test with receiv\$5 and (vari\$5 adjust\$4) near4 source and load and eye and loss same frequency same versus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/14 12:32
S65	0	circuit near5 simulat\$5 same (processor microprocessor microcontroller controller cpu computer microcomputer) same sram same channel same compar\$5	USPAT	OR	OFF	2005/08/14 13:20
S66	0	channel same reference adj load\$3 same test\$4 adj load same test\$4 near4 pattern\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:16
S67	0	channel and reference adj load\$3 same test\$4 adj load same test\$4 near4 pattern\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:15

S68	0	reference adj load\$3 same test\$4 adj load same test\$4 near4 pattern\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:15
S69	4	reference adj load\$3 and test\$4 adj load and test\$4 near4 pattern\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:16
S70	1	channel same reference adj load\$3 same test\$4 adj load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:17
S71	3	channel and reference adj load\$3 same test\$4 adj load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:17
S72	63	channel and reference near4 load\$3 same test\$4 near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/14 14:17
S73	4	communication near5 channel and reference near4 load\$3 same test\$4 near4 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 00:52